



CODING TABLE

This table supplements information contained in the chart to which it is associated. In spite of the fact the classification of waypoints (fly-by / flyover), courses, distances, altitudes, level and speed restrictions are mandatory, the providers may use the information as they find appropriate in order to code procedures. In other words, in case any particular coding is applied, it is mandatory for it to reflect the procedure published in the chart.

Identification	Aerodrome	Chart Code	AIRAC AMDT
IAC RNAV(GNSS) Y RWY 24R	ANÁPOLIS / Base Aérea, MIL (SBAN)	SBAN_IAC_00K	22 JUN 17

Seq	Transition	Path Terminator	Navaid / Fix / Waypoint	Function	Flyover (Y/N)	Navaid	Course Mag (True)	Dist (NM)	Turn (L/R)	IAS (KT)	Altitude (FT)	Gradient (%)	Perform.
010	Approach	IF	AN009	IAF	N	---	---	---	---	---	+7000	---	---
020	Approach	TF	AN011	IF	N	---	170 (149.1)	6.0	---	---	+5400	---	RNP APCH
010	Approach	IF	AN008	IAF	N	---	---	---	---	---	+7000	---	---
020	Approach	TF	AN011	IF	N	---	240 (219.1)	5.0	---	---	+5400	---	RNP APCH
010	Approach	IF	AN007	IAF	N	---	---	---	---	---	+7000	---	---
020	Approach	TF	AN011	IF	N	---	310 (289.1)	6.0	---	---	+5400	---	RNP APCH
010	Final	IF	AN011	IF	N	---	---	---	---	---	+5400	---	---
020	Final	TF	AN016	FAF	N	---	240 (219.1)	5.0	---	---	5300	---	RNP APCH
030	Final	TF	RW24R	MAPT	Y	---	240 (219.1)	5.0	---	---	=3706	-5.24	RNP APCH
010	Missed Ap.	CF	AN002	---	Y	---	240 (219.2)	16.8	---	---	+7000	---	RNP APCH

020	Missed Ap.	HM	AN002	MAHF	Y	---	060 (039.2)	---	R	---	+7000	---	RNP APCH
-----	------------	----	-------	------	---	-----	-------------	-----	---	-----	-------	-----	----------

IDENT	Latitude / Longitude (WGS84) DD:MM:SS.SS
AN009	S 15:59:57.30W 48:53:52.40
AN008	S 16:01:13.60W 48:47:24.20
AN007	S 16:07:05.80W 48:44:47.20
AN011	S 16:05:07.50W 48:50:40.60
AN016	S 16:09:01.31W 48:53:57.10
RW24R	S 16:12:55.10W 48:57:13.69
AN002	S 16:25:59.50W 49:08:14.40

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
=	MANDATORY
	RECOMMENDED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT