



CODING TABLE

SID RNAV ANLOL 1A TRNS OPRAB RWY 08					BOA VISTA / Atlas Brasil Cantanhede, INTL (SBBV)							SBBV_SID_00V	18 JUL 19		
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST	VA (°)	Role of the Fix	Navigation Specification
10	RWY	Y	N/A	ANLOL	CF	78.58° Mag 62.99° True	N/A	N/A	+881	N/A	N/A	3.00	1.89	TP	RNP 1
10	EN ROUTE	N/A	N/A	N/A	IF	N/A	N/A	N/A	+881	N/A	N/A	N/A	N/A	TP	RNP 1
20	EN ROUTE	N	N/A	OPRAB	DF	N/A	L	N/A	+13635	N/A	N/A	63.59	1.89	TP	RNP 1

SID RNAV ANLOL 1A TRNS DIVRA RWY 08					BOA VISTA / Atlas Brasil Cantanhede, INTL (SBBV)							SBBV_SID_00V	18 JUL 19		
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST	VA (°)	Role of the Fix	Navigation Specification
10	RWY	Y	N/A	ANLOL	CF	78.58° Mag 62.99° True	N/A	N/A	+881	N/A	N/A	3.00	1.89	TP	RNP 1
10	EN ROUTE	N/A	N/A	N/A	IF	N/A	N/A	N/A	+881	N/A	N/A	N/A	N/A	TP	RNP 1
20	EN ROUTE	N	N/A	DIVRA	DF	N/A	L	N/A	+11836	N/A	N/A	54.62	1.89	TP	RNP 1

SID RNAV ANLOL 1A TRNS ILNER RWY 08					BOA VISTA / Atlas Brasil Cantanhede, INTL (SBBV)							SBBV_SID_00V	18 JUL 19		
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST	VA (°)	Role of the Fix	Navigation Specification
10	RWY	Y	N/A	ANLOL	CF	78.58° Mag 62.99° True	N/A	N/A	+881	N/A	N/A	3.00	1.89	TP	RNP 1
10	EN ROUTE	N/A	N/A	N/A	IF	N/A	N/A	N/A	+881	N/A	N/A	N/A	N/A	TP	RNP 1
20	EN ROUTE	N	N/A	ILNER	DF	N/A	L	N/A	+13287	N/A	N/A	61.85	1.89	TP	RNP 1

SID RNAV ANLOL 1A TRNS PICOM RWY 08					BOA VISTA / Atlas Brasil Cantanhede, INTL (SBBV)							SBBV_SID_00V		18 JUL 19	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST	VA (°)	Role of the Fix	Navigation Specification
10	RWY	Y	N/A	ANLOL	CF	78.58° Mag 62.99° True	N/A	N/A	+881	N/A	N/A	3.00	1.89	TP	RNP 1
10	EN ROUTE	N/A	N/A	N/A	IF	N/A	N/A	N/A	+881	N/A	N/A	N/A	N/A	TP	RNP 1
20	EN ROUTE	N	N/A	PICOM	DF	N/A	L	N/A	+8371	N/A	N/A	37.35	1.89	TP	RNP 1

SID RNAV ANLOL 1A TRNS ANBIX RWY 08					BOA VISTA / Atlas Brasil Cantanhede, INTL (SBBV)							SBBV_SID_00V		18 JUL 19	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST	VA (°)	Role of the Fix	Navigation Specification
10	RWY	Y	N/A	ANLOL	CF	78.58° Mag 62.99° True	N/A	N/A	+881	N/A	N/A	3.00	1.89	TP	RNP 1
10	EN ROUTE	N/A	N/A	N/A	IF	N/A	N/A	N/A	+881	N/A	N/A	N/A	N/A	TP	RNP 1
20	EN ROUTE	N	N/A	ANBIX	DF	N/A	R	N/A	+10517	N/A	N/A	48.04	1.89	TP	RNP 1

SID RNAV ANLOL 1A TRNS KIGOX RWY 08					BOA VISTA / Atlas Brasil Cantanhede, INTL (SBBV)							SBBV_SID_00V		18 JUL 19	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST	VA (°)	Role of the Fix	Navigation Specification
10	RWY	Y	N/A	ANLOL	CF	78.58° Mag 62.99° True	N/A	N/A	+881	N/A	N/A	3.00	1.89	TP	RNP 1
10	EN ROUTE	N/A	N/A	N/A	IF	N/A	N/A	N/A	+881	N/A	N/A	N/A	N/A	TP	RNP 1
20	EN ROUTE	N	N/A	KIGOX	DF	N/A	R	N/A	+9522	N/A	N/A	43.08	1.89	TP	RNP 1

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
ANLLOL	N 02:52:28.80W 60:38:04.80
OPRAB	N 03:08:19.22W 61:29:24.59
DIVRA	N 03:39:38.40W 60:59:18.00
ILNER	N 03:52:16.20W 60:46:45.60
PICOM	N 03:24:33.60W 60:19:01.80
ANBIX	N 02:11:06.60W 60:37:23.40
KIGOX	N 02:16:01.80W 60:23:54.60

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE

DER	Latitude / Longitude (WGS84) DD:MM:SS.SS	Elevation (FT)
08	N 02:51:06.82 W 60:40:45.15	263.62 ft MSL