



CODING TABLE

This table supplements information contained in the chart to which it is associated. In spite of the fact the classification of waypoints (fly-by / flyover), courses, distances, altitudes, level and speed restrictions are mandatory, the providers may use the information as they find appropriate in order to code procedures. In other words, in case any particular coding is applied, it is mandatory for it to reflect the procedure published in the chart.

Identification	Aerodrome	Chart Code	AIRAC AMDT
IAC ILS T or LOC T RWY 10	RIO DE JANEIRO / Galeão - Antônio Carlos Jobim, INTL (SBGL)	SBGL_IAC_01E	03 JAN 19

Seq	Transition	Path Terminator	Navaid / Fix / WPT	Function	Flyover (Y/N)	Navaid	Course Mag (True)	Dist (NM)	Turn (L/R)	IAS (KT)	Altitude (FT)	Gradient (%)	Perform.
010	Approach	IF	DONGI	IAF	N	---	---	---	---	---	+6300	---	RNAV 1 or RNP 1
030	Approach	CF	SUNSI	---	N	ITB	097 ()	6.8	---	---	+3900	---	RNAV 1 or RNP 1
040	Approach	CF	GAVUG	IF	N	ITB	097 ()	1.5	---	---	+3500	---	RNAV 1 or RNP 1
010	Final	IF	GAVUG	IF	N	---	---	---	---	---	+3500	---	---
020	Final	CF	GL008	SDF	N	ITB	097 ()	2.0	---	---	+2800	---	---
030	Final	CF	GL167	FAF / FAP	N	ITB	097 ()	3.7	---	---	1670	---	---
040	Final	CF	CXI15*	SDF	N	ITB	097 ()	2.5	---	---	---	-5.24	---
050	Final	CF	RWY10	LTP/FTP	Y	---	097 ()	2.5	---	---	77	-5.24	---
010	Missed Ap	CA	---	---	N	---	097 ()	---	---	---	+2000	---	RNAV 1 or RNP 1

020	Missed Ap	DF	PCX	MAHF	Y	---	---	---	R	---	---	---	RNAV 1 or RNP 1
030	Missed Ap	HM	PCX	MAHF	Y	PCX	292 ()	---	R	---	+7000	---	RNAV 1 or RNP 1

(*) Fictitious point only for coding.

IDENT	Latitude / Longitude (WGS84) DD:MM:SS.SS
GAVUG	S 22:50:57.98W 43:26:31.11
DONGI	S 22:53:09.60W 43:35:09.00
SUNSI	S 22:51:22.00W 43:28:05.04
GL008	S 22:50:26.08W 43:24:25.84
CXI15	S 22:48:46.56W 43:17:55.23
RWY10	S 22:48:06.66W 43:15:18.62
PCX	S 22:42:55.42W 42:51:26.72
GL167	S 22:49:26.40W 43:20:31.80

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
=	MANDATORY
	RECOMENDED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT