



## CODING TABLE

IAC VOR RWY 28					RIO DE JANEIRO / Galeão – Antônio Carlos Jobim, INTL (SBGL)							SBGL_IAC_00W		08 NOV 18	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST	VA (°)	Role of the Fix	Navigation Specification
10	APCH	N	N/A	SEDBU	IF	N/A	N/A	N/A	+5000	N/A	N/A	N/A	N/A	IAF	---
20	APCH	N	N/A	EPKOG	AF	N/A	R	N/A	+3700	N/A	N/A	N/A	N/A	N	---
10	APCH	N	N/A	KETUX	IF	N/A	N/A	N/A	+5000	N/A	N/A	N/A	N/A	IAF	---
20	APCH	N	N/A	CXI03*	AF	N/A	L	N/A	+3700	N/A	N/A	N/A	N/A	N	---
30	APCH	N	CXI	EPKOG	CF	264.38° Mag 241.45° True	N/A	N/A	+3700	N/A	N/A	4.08	N/A	IF	---
10	FINAL	N	N/A	EPKOG	IF	N/A	N/A	N/A	+3700	N/A	N/A	N/A	N/A	IF	---
20	FINAL	N	CXI	CXI01	CF	264.38° Mag 241.47° True	N/A	N/A	+2319	N/A	N/A	4.37	-3.00	N	---
30	FINAL	N	CXI	DETOM	CF	264.37° Mag 241.48° True	N/A	N/A	R1800	N/A	N/A	1.63	-3.00	N	---
40	FINAL	N	CXI	CXI02	CF	264.38° Mag 241.50° True	N/A	N/A	+852	N/A	N/A	2.98	-3.00	N	---
50	FINAL	Y	CXI	CXI14**	CF	264.36° Mag 241.50° True	N/A	N/A	+78	N/A	N/A	2.43	-3.00	LTP/FTP	---
10	MA	N	CXI	CXI	CF	264.00° Mag 241.16° True	N/A	N/A	+570	N/A	N/A	1.21	N/A	N	---
20	MA	N	CXI	ENSAR	CF	281.12° Mag 258.36° True	N/A	N/A	+4100	N/A	N/A	12.56	N/A	N	---
30	MA	N	N/A	N/A	VI	90.00° Mag 67.24° True	N/A	N/A	+5000	N/A	N/A	14.99	N/A	N	---
40	MA	N	PCX	IVTAL	CF	114.32° Mag 91.47° True	N/A	N/A	+6000	N/A	N/A	14.34	N/A	N	---
50	MA	N	PCX	IVTAL	HM	114.32° Mag 91.47° True	R	N/A	+6000	N/A	N/A	4.78	N/A	N	---

(\* ) Fictitious point = intersection between DME arc and extended runway centerline.

(\*\*) Fictitious point = fictitious THR28.

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
CXI	S 22:49:01.51W 43:15:36.00
PCX	S 22:42:55.42W 42:51:26.72
EPKOG	S 22:42:15.00W 43:02:09.00
CXI01	S 22:44:20.66W 43:06:18.10
DETOM	S 22:45:07.43W 43:07:51.00
CXI02	S 22:46:32.99W 43:10:40.75
CXI14**	S 22:47:42.84W 43:12:59.67
ENSAR	S 22:51:34.20W 43:28:52.80
IVTAL	S 22:42:22.06W 43:16:09.98
SEDBU	S 22:39:32.41W 43:04:12.51
KETUX	S 22:43:20.40W 42:56:51.60
CXI03*	S 22:40:17.70W 42:58:16.70

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT