



CODING TABLE

| SID RNAV EDMOX 1A RWY 17 | | | | | BAURU / Bauru - Arealva (SBAE) | | | | | | | SBAE_SID_00G | | 24 MAY 18 | |
|--------------------------|-----------------------|----------|------------|-----------|--------------------------------|-----------------------------|------|---------------------------|---------------------------|------------------|-------------------------|--------------|--------|----------------|--------------------------|
| Seq Num | Transition Identifier | Fly Over | Rec Navaid | Fix Ident | Path and Terminator | Course Angle | Turn | Upper Limit Altitude (FT) | Lower Limit Altitude (FT) | Speed Limit (KT) | Speed Limit Description | TM DST | VA (°) | Role Of TheFix | Navigation Specification |
| 10 | RWY | Y | N/A | AE022 | CF | 174.33° Mag 153.88° True | N/A | N/A | N/A | N/A | N/A | 3.00 | 1.89 | TP | RNAV 1 or RNP 1 |
| 10 | EN ROUTE | Y | N/A | AE022 | IF | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | TP | RNAV 1 or RNP 1 |
| 20 | EN ROUTE | N | N/A | EDMOX | TF | 115.91° Mag 095.58° True | L | N/A | N/A | N/A | N/A | 25.11 | N/A | OTHER | RNAV 1 or RNP 1 |

| SID RNAV OBLUG 1A RWY 17 | | | | | BAURU / Bauru - Arealva (SBAE) | | | | | | | SBAE_SID_00G | | 24 MAY 18 | |
|--------------------------|-----------------------|----------|------------|-----------|--------------------------------|-----------------------------|------|---------------------------|---------------------------|------------------|-------------------------|--------------|--------|----------------|--------------------------|
| Seq Num | Transition Identifier | Fly Over | Rec Navaid | Fix Ident | Path and Terminator | Course Angle | Turn | Upper Limit Altitude (FT) | Lower Limit Altitude (FT) | Speed Limit (KT) | Speed Limit Description | TM DST | VA (°) | Role Of TheFix | Navigation Specification |
| 10 | RWY | Y | N/A | AE022 | CF | 174.33° Mag 153.88° True | N/A | N/A | N/A | N/A | N/A | 3.00 | 1.89 | TP | RNAV 1 or RNP 1 |
| 10 | EN ROUTE | Y | N/A | AE022 | IF | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | TP | RNAV 1 or RNP 1 |
| 20 | EN ROUTE | N | N/A | AE027 | TF | 145.91° Mag 125.30° True | L | N/A | N/A | N/A | N/A | 27.34 | N/A | OTHER | RNAV 1 or RNP 1 |
| 30 | EN ROUTE | N | N/A | OBLUG | TF | 148.39° Mag 127.73° True | R | N/A | N/A | N/A | N/A | 12.79 | N/A | OTHER | RNAV 1 or RNP 1 |

| SID RNAV PERAU 1B RWY 17 | | | | | BAURU / Bauru - Arealva (SBAE) | | | | | | | SBAE_SID_00G | | 24 MAY 18 | |
|--------------------------|-----------------------|----------|------------|-----------|--------------------------------|-----------------------------|------|---------------------------|---------------------------|------------------|-------------------------|--------------|--------|----------------|--------------------------|
| Seq Num | Transition Identifier | Fly Over | Rec Navaid | Fix Ident | Path and Terminator | Course Angle | Turn | Upper Limit Altitude (FT) | Lower Limit Altitude (FT) | Speed Limit (KT) | Speed Limit Description | TM DST | VA (°) | Role Of TheFix | Navigation Specification |
| 10 | RWY | Y | N/A | AE022 | CF | 174.33° Mag 153.88° True | N/A | N/A | N/A | N/A | N/A | 3.00 | 1.89 | TP | RNAV 1 or RNP 1 |
| 10 | EN ROUTE | Y | N/A | AE022 | IF | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | TP | RNAV 1 or RNP 1 |
| 20 | EN ROUTE | N | N/A | PERAU | TF | 51.08° Mag 30.52° True | L | N/A | N/A | 260 | - | 15.59 | N/A | OTHER | RNAV 1 or RNP 1 |
| 30 | EN ROUTE | N | N/A | NENON | TF | 50.78° Mag 30.14° True | N/A | N/A | N/A | N/A | N/A | 10.72 | N/A | OTHER | RNAV 1 or RNP 1 |
| 40 | EN ROUTE | N | N/A | FOSSE | TF | 51.31° Mag 30.61° True | N/A | N/A | N/A | N/A | N/A | 9.20 | N/A | OTHER | RNAV 1 or RNP 1 |
| 10 | EN ROUTE | N | N/A | AE022 | IF | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | TP | RNAV 1 or RNP 1 |
| 20 | EN ROUTE | N | N/A | PERAU | TF | 51.08° Mag 30.52° True | L | N/A | N/A | 260 | - | 15.59 | N/A | OTHER | RNAV 1 or RNP 1 |
| 30 | EN ROUTE | N | N/A | ENPEG | TF | 357.38° Mag 336.84° True | L | N/A | N/A | N/A | N/A | 14.86 | N/A | OTHER | RNAV 1 or RNP 1 |
| 40 | EN ROUTE | N | N/A | HARDY | TF | 33.50° Mag 12.92° True | R | N/A | N/A | N/A | N/A | 6.46 | N/A | OTHER | RNAV 1 or RNP 1 |

| SID RNAV PUMUS 1A RWY 17 | | | | | BAURU / Bauru - Arealva (SBAE) | | | | | | | SBAE_SID_00G | | 24 MAY 18 | |
|--------------------------|-----------------------|----------|------------|-----------|--------------------------------|-----------------------------|------|---------------------------|---------------------------|------------------|-------------------------|--------------|--------|----------------|--------------------------|
| Seq Num | Transition Identifier | Fly Over | Rec Navaid | Fix Ident | Path and Terminator | Course Angle | Turn | Upper Limit Altitude (FT) | Lower Limit Altitude (FT) | Speed Limit (KT) | Speed Limit Description | TM DST | VA (°) | Role Of TheFix | Navigation Specification |
| 10 | RWY | Y | N/A | AE022 | CF | 174.33° Mag 153.88° True | N/A | N/A | N/A | N/A | N/A | 3.00 | 1.89 | TP | RNAV 1 or RNP 1 |
| 10 | EN ROUTE | Y | N/A | AE022 | IF | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | TP | RNAV 1 or RNP 1 |
| 20 | EN ROUTE | N | N/A | RIOJA | TF | 93.66° Mag 72.99° True | L | N/A | N/A | N/A | N/A | 23.23 | N/A | OTHER | RNAV 1 or RNP 1 |
| 30 | EN ROUTE | N | N/A | PUMUS | TF | 79.33° Mag 58.53° True | L | N/A | N/A | N/A | N/A | 14.60 | N/A | OTHER | RNAV 1 or RNP 1 |

| IDENT | Latitude / Longitude (WGS84) DD:MM:SS.SS |
|-------|---|
| AE022 | S 22:12:50.40W 49:02:32.40 |
| AE027 | S 22:28:43.51W 48:38:29.64 |
| OBLUG | S 22:36:34.96W 48:27:34.42 |
| RIOJA | S 22:06:03.01W 48:38:36.22 |
| PUMUS | S 21:58:24.74W 48:25:11.78 |
| PERAU | S 21:59:22.20W 48:54:00.60 |
| NENON | S 21:50:04.02W 48:48:12.98 |
| FOSSE | S 21:42:07.20W 48:43:10.80 |
| ENPEG | S 21:45:39.44W 49:00:18.11 |
| HARDY | S 21:39:20.40W 48:58:45.00 |
| EDMOX | S 22:15:19.13W 48:35:36.77 |

| DER | Latitude / Longitude (WGS84) DD:MM:SS.SS | Elevation (FT) |
|-----|--|----------------|
| 17 | S 22:10:07.99 W 49:03:57.78 | 1960.50 ft MSL |

| COD | Meaning |
|-----|----------------|
| + | AT OR ABOVE |
| - | AT OR BELOW |
| @ | AT |
| R | RECOMMENDED |
| B | BETWEEN |
| = | AS ASSIGNED |
| SDF | STEPDOWN FIX |
| Y | YES |
| N | NO |
| L | LEFT |
| R | RIGHT |
| N/A | NOT APPLICABLE |