



CODING TABLE

SID DOPGA 1A RWY 11					PORTO ALEGRE / Salgado Filho, INTL (SBPA)							SBPA_SID_00H		19 JUL 18	
Seq Num	IAP Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST	VA (°)	Role Of TheFix	Navigation Specification
10	RWY	N	FIG	N/A	VA	108.24° Mag	N/A	N/A	+1500	230.00	-	N/A	2.92	OTHER	N/A
20	RWY	N	FIG	N/A	VI	340.00° Mag	R	N/A	N/A	230.00	-	N/A	2.92	OTHER	N/A
30	DOPGA	N	FIG	PORVU	CF	288.05° Mag	L	N/A	N/A	230.00	-	N/A	N/A	OTHER	N/A
40	DOPGA	N	FIG	N/A	VI	320.00° Mag	R	N/A	N/A	230.00	-	N/A	N/A	OTHER	N/A
50	DOPGA	N	FIG	MOPTO	CF	291.23° Mag	L	-8000	N/A	N/A	N/A	N/A	N/A	OTHER	N/A
60	DOPGA	N	FIG	DOPGA	CF	292.63° Mag	N/A	N/A	N/A	N/A	N/A	41.26	N/A	OTHER	N/A

SID PORVU 1A RWY 29					PORTO ALEGRE / Salgado Filho, INTL (SBPA)							SBPA_SID_00H		19 JUL 18	
Seq Num	IAP Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST	VA (°)	Role Of TheFix	Navigation Specification
10	RWY	N	FIG	PORVU	CF	288.05° Mag	N/A	N/A	N/A	230.00	-	5.14	2.46	OTHER	N/A
10	DOPGA	N/A	N/A	PORVU	IF	N/A	N/A	N/A	N/A	230.00	-	N/A	2.46	OTHER	N/A
20	DOPGA	N/A	N/A	N/A	VI	320.00° Mag	N/A	N/A	N/A	230.00	-	N/A	2.46	OTHER	N/A
30	DOPGA	N	FIG	MOPTO	CF	291.23° Mag	N/A	-8000	N/A	N/A	N/A	N/A	N/A	OTHER	N/A
40	DOPGA	N	FIG	DOPGA	CF	292.63° Mag	N/A	N/A	N/A	N/A	N/A	41.26	N/A	OTHER	N/A
10	SUSKI	N/A	N/A	PORVU	IF	N/A	N/A	N/A	N/A	230.00	-	N/A	2.46	OTHER	N/A
20	SUSKI	N/A	N/A	N/A	VI	330.00° Mag	N/A	N/A	N/A	230.00	-	N/A	2.46	OTHER	N/A
30	SUSKI	N	FIG	SUSKI	CF	298.40° Mag	N/A	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A

SID SUSKI 1B RWY 11					PORTO ALEGRE / Salgado Filho, INTL (SBPA)							SBPA_SID_00H		19 JUL 18	
Seq Num	IAP Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST	VA (°)	Role Of TheFix	Navigation Specification
10	RWY	N	N/A	N/A	VA	108.24° Mag	N/A	N/A	+1500.00	230.00	-	N/A	2.92	OTHER	N/A
20	RWY	N	N/A	N/A	VI	340.00° Mag	R	N/A	N/A	230.00	-	N/A	2.92	OTHER	N/A
30	RWY	N	N/A	ESOPE	CF	298.40° Mag	L	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A
40	RWY	N	FIG	SUSKI	CF	298.40° Mag	N/A	N/A	N/A	N/A	N/A	49.01	N/A	OTHER	N/A

IDENT	Latitude / Longitude (WGS84) DD:MM:SS.SS
FIG	S 29:59:53.44W 50:58:31.96
PORVU	S 29:59:34.80W 51:16:54.00
MOPTO	S 29:58:01.53W 51:26:41.58
DOPGA	S 29:52:57.58W 52:13:48.84
SUSKI	S 29:46:37.82W 52:11:41.87
ESOPE	S 29:56:41.83W 51:16:31.74

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE

DER	Latitude / Longitude (WGS84) DD:MM:SS.SS	Elevation (FT)
11	S 29:59:41.46 W 51:09:33.80	11.15 ft MSL
29	S 29:59:39.77 W 51:10:58.84	11.15 ft MSL