



CODING TABLE

RNAV (GNSS) Y RWY 29R				BRASÍLIA / Pres. Juscelino Kubstcheck, INTL(SBBR)							SBBR_IAC_00D			13 SET 18	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST	VA (°)	Role of the Fix	Navigation Specification
10	EDVIV	N/A	N/A	EDVIV	IF	N/A	N/A	N/A	+6000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	EDVIV	N	N/A	BR076	TF	212.41° Mag 190.69° True	N/A	N/A	=5500	N/A	N/A	3.18	N/A	OTHER	RNP APCH
30	EDVIV	N	N/A	KOTVU	TF	257.86° Mag 236.17° True	N/A	N/A	=5500	N/A	N/A	5.13	N/A	IF	RNP APCH
10	MOPDA	N/A	N/A	MOPDA	IF	N/A	N/A	N/A	+7000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	MOPDA	N	N/A	KOTVU	TF	333.40° Mag 311.70° True	N/A	N/A	+5000	N/A	N/A	9.29	N/A	IF	RNP APCH
10	FINAL	N/A	N/A	KOTVU	IF	N/A	N/A	N/A	+5000	N/A	N/A	N/A	N/A	IF	RNP APCH
20	FINAL	N	N/A	BR079	TF	287.85° Mag 266.19° True	N/A	N/A	R5000	N/A	N/A	5.47	N/A	FAF	RNP APCH
30	FINAL	N	N/A	BR081	TF	287.81° Mag 266.16° True	N/A	N/A	+4486	N/A	N/A	1.62	-3.00	SDF	RNP APCH
40	FINAL	Y	N/A	RW29R	TF	287.81° Mag 266.18° True	N/A	N/A	+3530	N/A	N/A	3.00	-3.00	LTP/FTP	RNP APCH
10	MA	N/A	N/A	N/A	CA	287.81° Mag 266.18° True	N/A	N/A	+5000	N/A	N/A	N/A	N/A	N/A	RNP APCH
20	MA	Y	N/A	BR056	DF	N/A	N/A	N/A	+6000	N/A	N/A	N/A	N/A	OTHER	RNP APCH
30	MA	Y	N/A	BR056	HM	137.30° Mag 115.70° True	R	N/A	+6000	N/A	N/A	N/A	N/A	MAHF	RNP APCH

*Only for coding purpose.

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
KOTVU	S 15:51:01.70W 47:43:30.80
BR079	S 15:51:23.67W 47:49:10.29
BR081	S 15:51:30.19W 47:50:50.61
RW29R	S 15:51:42.26W 47:53:56.94
BR056	S 15:46:22.00W 47:59:08.90
EDVIV	S 15:45:01.37W 47:38:28.96
BR076	S 15:48:09.57W 47:39:05.64
MOPDA	S 15:57:14.02W 47:36:18.72

COD	Meaning
+	AT OR ABOVE
N/A	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT

