



CODING TABLE

Identification	Aerodrome	Chart Code	AIRAC AMDT
IAC RNAV(RNP) X RWY07	NAVEGANTES/Ministro Victor Konder, INTL (SBNF)	SBNF_IAC_00C	02 JAN 20

Seq	Transition	Path Terminator	Navaid / Fix / WPT	Function	Flyover (Y/N)	Navaid	Course Mag (True)	Dist (NM)	Turn (L/R)	IAS (KT)	Altitude (FT)	Gradient (%)	Perform.
010	Initial	IF	NF006	IAF	N	---	---	---	---	---	+4000	---	---
020	Initial	TF	NF118	IF	N	---	276 (257.0T)	6.0	---	---	+2000	---	RNP 1.0
010	Approach	IF	NF118	IF	N	---	---	---	---	---	+2000	---	---
020	Approach	RF	NF119	FAF	N	---	---	4.7	---	---	+1978	---	RNP 1.0
030	Approach	RF	NF106	FROP	N	---	---	2.3	---	---	+1259	5.24	RNP 0.3
---	---	---	NF115	RF center	---	---	---	Radius 2.5	---	---	---	5.24	---
040	Approach	TF	RWY07	LTP	Y	---	075 (55.8T)	3.74	---	---	=68	5.24	RNP 0.3
010	Approach	IF	NF118	IF	N	---	---	---	---	---	+2000	---	---
020	Approach	RF	NF119	FAF	N	---	---	4.7	---	---	+1978	---	RNP 1.0
030	Approach	RF	NF106	FROP	N	---	---	2.3	---	---	+1259	5.24	RNP 0.2
---	---	---	NF115	RF center	---	---	---	Radius 2.5	---	---	---	5.24	---

040	Approach	TF	RWY07	LTP	Y	---	075 (55.8T)	3.74	---	---	=68	5.24	RNP 0.2
050	Missed Ap.	TF	NF013	---	Y	---	075 (55.8T)	15.9	---	---	+4000	---	RNP 0.7
060	Missed Ap.	HM	NF013	MAHF	Y	---	255 (235.8T)	1 min	R	---	+4000	---	---
050	Missed Ap.	TF	NF013	---	Y	---	075 (55.8T)	15.9	---	---	+4000	---	RNP 1.0
060	Missed Ap.	HM	NF013	MAHF	Y	---	255 (235.8T)	1 min	R	---	+4000	---	---

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
=	MANDATORY
	RECOMMENDED
SDF	STEP DOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
FROP	FINAL APPROACH ROLL-OUT POINT
LTP	LANDING THRESHOULD POINT

IDENT	Latitude / Longitude (WGS84) DD:MM:SS.SS
NF006	S 26:58:18.02 / W 48:34:12.05
NF118	S 26:59:39.03 / W 48:40:44.75
NF119	S 26:57:01.86 / W 48:44:09.79
NF115	S 26:57:12.42 / W 48:41:22.34
NF106	S 26:55:07.98 / W 48:42:56.64
RWY07	S 26:53:01.45 / W 48:39:28.92
NF013	S 26:44:02.24 / W 48:24:46.67