



CODING TABLE

RNAV (GNSS) Z RWY 15					RIO DE JANEIRO / Galeão - Antônio Carlos Jobim, INTL (SBGL)							SBGL_IAC_00T		11 OCT 18	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST	VA (°)	Role of the Fix	Navigation Specification
10	APCH	N	N/A	UTBOM	IF	N/A	N/A	N/A	+6300	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	DOOPK	TF	149.26° Mag 125.50° True	N/A	N/A	+5000	N/A	N/A	2.70	N/A	OTHER	RNP APCH
30	APCH	N	N/A	EGBAT	TF	149.37° Mag 125.59° True	N/A	N/A	+3000	N/A	N/A	4.80	N/A	IF	RNP APCH
10	APCH	N	N/A	EGDUT	IF	N/A	N/A	N/A	+6300	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	RJ001	TF	89.67° Mag 66.92° True	N/A	N/A	+4700	N/A	N/A	4.80	N/A	OTHER	RNP APCH
30	APCH	N	N/A	EGBAT	TF	89.64° Mag 66.86° True	N/A	N/A	+3000	N/A	N/A	4.19	N/A	IF	RNP APCH
10	Final	N	N/A	EGBAT	IF	N/A	N/A	N/A	+3000	N/A	N/A	N/A	N/A	IF	RNP APCH
20	Final	N	N/A	GL022	TF	149.41° Mag 125.61° True	N/A	N/A	+2000	N/A	N/A	4.00	-3.00	FAF	RNP APCH
30	Final	N	N/A	GL023	TF	149.35° Mag 125.54° True	N/A	N/A	+735	N/A	N/A	3.97	-3.00	SDF	RNP APCH
40	Final	Y	N/A	GL028	TF	149.35° Mag 125.53° True	N/A	N/A	@386	N/A	N/A	2.10	-3.00	LTP/FTP	RNP APCH
10	MA	N	N/A	UTKUP	CF	119.66° Mag 98.79° True	L	N/A	N/A	N/A	-185	9.03	N/A	OTHER	RNP APCH
20	MA	N	N/A	GL079	TF	114.62° Mag 91.71° True	N/A	N/A	N/A	N/A	-185	8.00	N/A	OTHER	RNP APCH
30	MA	N	N/A	SISER	TF	114.62° Mag 91.66° True	N/A	N/A	N/A	N/A	N/A	7.00	N/A	MAHF	RNP APCH
40	MA	Y	N/A	SISER	HM	294.62° Mag 271.66° True	L	N/A	N/A	N/A	N/A	N/A	N/A	MAHF	RNP APCH

*Only for coding purpose.

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
EGBAT	S 22:42:54.60W 43:24:37.20
GL022	S 22:45:14.73W 43:21:06.35
GL023	S 22:47:33.73W 43:17:36.59
RWY15	S 22:48:47.20W 43:15:45.61
UTKUP	S 22:49:16.80W 43:06:56.40
GL079	S 22:49:31.40W 42:58:17.05
SISER	S 22:49:43.80W 42:50:42.60
UTBOM	S 22:38:31.80W 43:31:13.20
DOOPK	S 22:40:06.26W 43:28:50.56
EGDUT	S 22:46:27.00W 43:33:34.20
RJ001	S 22:44:33.70W 43:28:47.36
GL028	S 22:48:12.22W 43:16:38.46

COD	Meaning
+	AT OR ABOVE
N/A	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT

