



## CODING TABLE

STAR ISIKA 2B RWY 29					PORTO ALEGRE / Salgado Filho, INTL (SBPA)							SBPA_STAR_00Y	10 OCT 19		
Seq Num	IAP Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST	VA (°)	Role Of TheFix	Navigation Specification
10	OPROR	N/A	N/A	OPROR	IF	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A
20	OPROR	N/A	FIG	EDVEG	CF	72.82° Mag	N/A	N/A	N/A	N/A	N/A	5.94	N/A	OTHER	N/A
30	OPROR	N/A	FIG	UTKAN	CF	73.03° Mag	R	N/A	+5000	N/A	N/A	32.83	N/A	OTHER	N/A
40	OPROR	N/A	FB	ISIKA	CF	101.02° Mag	N/A	N/A	+5000	N/A	N/A	3.71	N/A	OTHER	N/A
10	PTS	N/A	N/A	PTS	IF	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A
20	PTS	N/A	PTS	GENUS	CF	46.44° Mag	N/A	N/A	N/A	N/A	N/A	79.36	N/A	OTHER	N/A
30	PTS	N/A	FIG	ISIKA	CF	57.45° Mag	R	N/A	+5000	N/A	N/A	39.07	N/A	OTHER	N/A
10	OBLAD	N/A	N/A	OBLAD	IF	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A
20	OBLAD	N/A	FIG	ERVEM	CF	88.37° Mag	N/A	N/A	+5000	N/A	N/A	50.92	N/A	OTHER	N/A
30	OBLAD	N/A	FB	UTKAN	CF	101.00° Mag	R	N/A	+5000	N/A	N/A	11.69	N/A	OTHER	N/A
40	OBLAD	N/A	FB	ISIKA	CF	101.02° Mag	N/A	N/A	+5000	N/A	N/A	3.71	N/A	OTHER	N/A

10	KOXID	N/A	N/A	KOXID	IF	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A
20	KOXID	N/A	CXS	EDVEG	CF	35.27° Mag	N/A	N/A	N/A	N/A	N/A	27.85	N/A	OTHER	N/A
30	KOXID	N/A	FIG	UTKAN	CF	73.03° Mag	R	N/A	+5000	N/A	N/A	32.83	N/A	OTHER	N/A
40	KOXID	N/A	FB	ISIKA	CF	101.02° Mag	R	N/A	+5000	N/A	N/A	3.71	N/A	OTHER	N/A
10	RWY	N/A	N/A	ISIKA	IF	N/A	N/A	N/A	+5000	N/A	N/A	N/A	N/A	OTHER	N/A
20	RWY	N/A	FB	AJAX	CF	101.00° Mag	N/A	N/A	+5000	-210	-	10.46	N/A	IAF	N/A

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
PTS	S 31:43:07.98W 52:19:38.81
CXS	S 29:11:53.01W 51:11:19.08
FIG	S 29:59:53.44W 50:58:31.96
FB	S 29:59:46.71W 50:08:42.02
AJAX	S 30:03:47.40W 50:51:28.20
ERVEM	S 30:06:25.97W 51:21:07.90
GENUS	S 30:34:28.80W 51:33:01.20
ISIKA	S 30:04:52.35W 51:03:27.94
OBLAD	S 30:22:16.20W 52:17:00.60
OPROR	S 30:26:47.40W 51:44:59.40
UTKAN	S 30:05:15.13W 51:07:43.26
KOXID	S 30:49:53.92W 51:49:44.23
EDVEG	S 30:23:29.87W 51:39:15.34

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE